



600X600MM





BEYOND THE BOUNDARIES OF SPACE AND TIME

A new beginning heralded by the dawn of our days.

The walk of the sun over the shadow, pollen-colored rays that mark the time passing by. It is useless to rush, life goes on rhythmically, it is up to us to live, to inhabit, and to be.

The nature in each one of us, the sum of influences and cultures, drives in different directions, quickly or calmly but, for everyone, walking is fast. Without any effort, the course of the months and seasons completes the cycle. Habits that go a future that became old, the memories remain. And then, it's time for a new present, to explore new beginnings and original connections. Being receptive, we expect unprecedented sensations, we count minutes not with the objective to remember time, but to forget it, even if it's just for a moment.

INVITING SURFACES, OPEN TO NEW EXPERIENCES

The most artistic and indefinite expression of colour takes form in an absolutely innovative ceramic surface. The cement effect meets the signs of a "creative aged effect" expressed by the changes in the shades of colour and by the free and almost "painted" decoration: stratifications of material and new colours that exude design, art and craftsmanship.

TECHNICAL FEATURES



UV
Resistance



Scratch
Resistance



Water
Resistance



Chemical
Resistance



Light
Weight




Flexible
Body



CHROMATIC RANGE

A range of versatile colours with great possibilities to satisfy different tastes. These colours come in different tile sizes that solve a great variety of architecture projects due to its perfect adaptation to all kind of spaces and styles. Going beyond the basics: creating volume, highlighting elements, adding character to spaces. The decorative geometry in this collection's design creates graphic variety and gives the environment a certain visual richness.



WHERE TO USE





**WE ON US
INTERPRET MATERIALS,
WE CREATE CERAMICS.**



1. INSPIRATION

An idea can be inspired by nature or by imagination. A stone, a wall or a painting. The artistic creativity and intuition transform them into a material for architecture.



2. MAKING

To create the material you need the skill of an artisan, machines and ceramic know-how, aesthetic culture and a passion for design. And you need tough and painstaking development work.



3. ASSORTMENT

The added value of Ceramica REY also in creating every collection as a solution kit for architecture with matching colours, sizes, patterns and surfaces, designed to dress spaces and styles with technically impeccable solutions.




1st ceramic company to introduce patented **E N D M A T C H** Concept across the world!



INTELLECTUAL
PROPERTY INDIA
PATENTS | DESIGNS | TRADE MARKS
GEOGRAPHICAL INDICATIONS



1ST
TIME
IN
WORLD





TILES IN FRAME
ABSOLUTE VERDE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance




www.reycera.com



TILES IN FRAME
ANTIQUÉ ONYX BEIGE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
ARKOSE DAYNA

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
ARROSA GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
ATLANTIS CREAM

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
CALCUTTA GOLD

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
CLASSIC CALACATTA NEW BROWN

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
CLASSIC CALACATTA NEW GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
CLOUD ONYX

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
CLOUD ONYX-1 GREEN

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
CORAL CREMA

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
CORAL ONYX BIANCO NEW

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance





www.reycera.com



TILES IN FRAME
DYNA FANTASTIC

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com







TILES IN FRAME
EGEO GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance




www.reycera.com



TILES IN FRAME
GOLDEN EMPERADOR

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
KELOSA BEIGE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
LARCH GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com







TILES IN FRAME
MARFIL BEIGE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance





www.reycera.com



TILES IN FRAME
ONIDA ONYX

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
ONYX GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
ONYX PEACH

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com







TILES IN FRAME
PINK FUERY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
POLAR WHITE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
REAL SATVARIO

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
SCARLET BEIGE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance





www.reycera.com



TILES IN FRAME
SKY ONYX GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

GLAZED
VITRIFIED
TILES

600x600mm

TECHNICAL
FEATURES



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
ZENITH GOLD

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
CARARA RED

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
CHAMOIS WHITE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com






TILES IN FRAME
FIJI NATURAL

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance



www.reycera.com



TILES IN FRAME
GIVA WHITE

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance

www.reycera.com





TILES IN FRAME
MALI GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance




www.reycera.com



TILES IN FRAME
PRISMA STATUARIO GREY

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance



www.reycera.com



TILES IN FRAME
RIGATO STATUARIO

SIZE
60x60cm (2'x2')

Finish
GLOSSY





Glossy Finish



COLLECTION .22

**GLAZED
VITRIFIED
TILES**

600x600mm

**TECHNICAL
FEATURES**



Chemical
Resistance



Light
Weight



Flexible
Body



UV
Resistance



Scratch
Resistance



Water
Resistance



www.reycera.com

EXPORTS WORLDWIDE



U.S. TERRITORY

- MEXICO
- CANDA

ASIAN TERRITORY

- SRILANKA
- MAURATIUS
- AUSTRALIA
- VIETNAME
- TAIWAN
- THAILAND
- AFGHANISTAN
- BANGLADESH
- NEPAL

SOUTH AMERICA / LATIN AMERICA TERRITORY

- BOLIVIA
- CHILE
- COLOMBIA
- COSTARICA
- BDOMINICAN REPUBLIC
- GUATEMALA
- HAITI
- HONDURAS
- PANAMA
- PERU
- PUERTO RICO
- EL SALVADOR
- VENEZUELA
- JAMAICA
- CURACAO
- NICARAGUA
- TOBAGO
- BURKINA FASO
- TRINIDAD & TOBAGO
- ECUADOR

EUROPE & BALCON TERRITORY

- ALBANIA
- KOSOVO
- MACEDONIA
- GREECE
- SPAIN

NORTH AFRICA TERRITORY

- LIBYA
- NIGERIA
- SOUTH AFRICA
- MOROCCO
- ISRAEL
- TUNISIA
- SURINAME

MIDDLE EAST TERRITORY

- BAHRAIN
- IRAQ
- KUWAIT
- OMAN
- QATAR
- SAUDI AREBIA
- LEBANON
- JORDAN
- SYRIA



TECHNICAL SPECIFICATIONS



TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP BIa)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm ²	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Edan Ceramic City, Opp. Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

E-mail : export@reyceramic.com | **Mob.:** +91 90999 06545

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD.

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

SIMBEL CERAMIC PVT. LTD.

8-A, National Highway, Dhuva-Matel Road,
At. Lakaddhar, Morbi - 363 642, Gujarat, India

ADORATION CERAMICA PVT.LTD.

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,
Ta. Vankaner, Dist. Morbi (Gujrat) India.



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)