



**1200X
1800MM**

www.reycera.com

About us!

Rey Cera is one of the cutting edges and leading manufacturers and exporters of ceramic and tiles items. We work innovatively towards serving the client essentials and necessities as our top-notch requirement and provide the one-stop answer for redesigning and planning homes and workplaces.

We are dutiful to hand out the dealers, purchasers, and clientele at the highest significance and work in a row to keep informed the tiles and ceramic catalogue at monthly intervals with vividness and distinction by upholding the prerequisites in easy reach.

ReyCera is compact and stylish outlook tile designs as it comprises chosen normal materials. Because of its phenomenal highlights as simple support and low spongy properties, it needs rigid, sterile prerequisites. Products outlook by colored pigments and squashed mirrors, superior polyester tar gives the great appearance to the area. Our products are a perfect decision for business, private, or industry reason for a stylish outlook. Newness and headways, in examples, will give a better region outlook.

www.reycera.com





CARVING
SURFACE

MATT
SURFACE

GLOSSY
SURFACE

TECHNICAL FEATURES



Scratch and
Abrasion Resistant



Resistant to
UV Rays



Easy to Clean
Surface



Resistant to
Fire and Heat



Frost Resistant
Surface



Flatness and
Stability Over Time



Impact Resistant
Surface



Water Resistant
Surface



Stain Resistant
Surface



Hygienic and
Suitable for Contact
with Food



Resistant to
Chemicals, Acids,
Bases, and Solvents




Resistant to
Mould, Mildew,
And Fungus

These surfaces provide an extra edge with feature-rich attributes like resistance to weather and chemicals, easy-to-clean and maintain, abrasion proof, stain and scratch resistant that do not require special care. Create your envisioned ambiance for a hassle-free lifestyle.




1st Indian ceramic industry to introduce patented **E N D M A T C H** concept across the globe



INTELLECTUAL
PROPERTY INDIA
PATENTS | DESIGNS | TRADE MARKS
GEOGRAPHICAL INDICATIONS



1ST
TIME
IN
WORLD





1200X1800MM | GLOSSY FINISH


Our glossy finish tiles are the epitome of modern elegance.

These tiles offer a sleek, reflective surface that not only brightens your space but also adds a touch of sophistication. Whether you're aiming for a contemporary or classic look, our glossy finish tiles provide the perfect foundation for your design aspirations. Choose brilliance, choose style, choose our glossy finish tiles to make your space shine.



AMERIGO HARBOR

Random : 03




1200X | Glossy
1800MM | Surface





AMERIGO MINT

Random : 03



1200X | Glossy
1800MM | Surface








ANUBIS WHITE

Random : 03



1200X 1800MM | Glossy Surface





CALACATTA TUSCANY

Random : 03



**1200X
1800MM** | **Glossy
Surface**








ESPLENDOR CARAMEL

Random : 04



**1200X
1800MM** | **Glossy
Surface**







FREYA WHITE

Random : 03




1200X | **Glossy**
1800MM | **Surface**





FashionPoint



MYKALISSOS GREY

Random : 03



**1200X
1800MM** | **Glossy
Surface**







NEUTRA GRIGIO

Random : 04



**1200X
1800MM** | **Glossy
Surface**







OMBRA PECAN

Random : 04



1200X 1800MM | Glossy Surface







OMBRA PIGEON

Random : 04



**1200X
1800MM** | **Glossy
Surface**





PALISANDRO WHITE

Random : 03



**1200X
1800MM** | **Glossy
Surface**





PLINTH ABALONE

Random : 04



**1200X
1800MM** | **Glossy
Surface**





PLINTH RHINO

Random : 04



**1200X
1800MM** | **Glossy
Surface**








SABINE SAHARA

Random : 03



1200X 1800MM | Glossy Surface






SAVOY GREY

Random : 03



**1200X
1800MM** | **Glossy
Surface**





SWIRL CYBER

Random : 03




**1200X
1800MM** | **Glossy
Surface**





SWIRL THISTLE

Random : 03




**1200X
1800MM** | **Glossy
Surface**





SWIRL WHITE

Random : 03



1200X | **Glossy**
1800MM | **Surface**





VANGLITH WHITE

Random : 04



**1200X
1800MM** | **Glossy
Surface**







VENIS CASHMIRE

Random : 03




1200X 1800MM | Glossy Surface





VERTEX CHOCO

Random : 02



**1200X
1800MM** | **Glossy
Surface**



Business Park



VERTEX IRON

Random : 02




**1200X
1800MM** | **Glossy
Surface**





VERTEX LEMONADE

Random : 02



**1200X
1800MM** | **Glossy
Surface**








1200X1800MM | MATT FINISH


A STORY THAT ADDS NEW CHAPTERS EVERY TIME.
Hidden away in the varied, multi-faceted appeal of marble are stories from the past and present, pulsating with life. A fine line separates the artificial from the natural, when light spreads through and leaves its mark on surfaces strongly bonded with the living styles of the future.

The inspiration comes from Italian Living origin: the distinctive Marble and the deep Fusion Effects, both crossed through by white veins and with a small-medium grain..



AMBESONE WHITE

Random : 03



**1200X
1800MM** | **Matt
Surface**







ARBESCAS FABULAS

Random : 04



**1200X
1800MM** | **Matt
Surface**





CLAROS WHITE

Random : 04



**1200X
1800MM** | **Matt
Surface**








CLONIC BIANCO

Random : 03



**1200X
1800MM** | **Matt
Surface**








FAUX GREY

Random : 03



**1200X
1800MM** | **Matt
Surface**









LORDE GREY

Random : 04



1200X 1800MM | Matt Surface








NESCO WHITE

Random : 03




**1200X
1800MM** | **Matt
Surface**





SIGNORINO GREY

Random : 03



1200X | Matt
1800MM | Surface








SUBWAY NATURAL

Random : 03



1200X 1800MM | Matt Surface








Nourish spaces with eternal superiority

Our carving finish tiles are a work of art that adds intricate beauty to your space. These tiles feature stunning and detailed designs that are crafted with precision. Whether you want to create an atmosphere of luxury or a unique visual appeal, our carving finish tiles provide a touch of sophistication to your interiors. Choose the elegance of craftsmanship, choose style, choose our carving finish tiles to bring a unique artistic touch to your space.


**1200X
1800MM**
CARVING FINISH





LABELO CHEVRON

Random : 04



**1200X
1800MM** | **Carving
Surface**







MARMO ROSA

Random : 03



1200X 1800MM | Carving Surface







MARVELOUS CREMA

Random : 03



1200X 1800MM | Carving Surface







MARVELOUS SILVER

Random : 03



1200X 1800MM | Carving Surface





EXPORTS WORLDWIDE



U.S. TERRITORY

-  MEXICO
-  CANADA

ASIAN TERRITORY

-  SRILANKA
-  MAURATIUS
-  AUSTRALIA
-  VIETNAME
-  TAIWAN
-  THAILAND
-  AFGHANISTAN
-  BANGLADESH
-  NEPAL

SOUTH AMERICA / LATIN AMERICA TERRITORY

-  BOLIVIA
-  CHILE
-  COLOMBIA
-  COSTARICA
-  BDOMINICAN REPUBLIC
-  GUATEMALA
-  HAITI
-  HONDURAS
-  PANAMA
-  PERU
-  PUERTO RICO
-  EL SALVADOR
-  VENEZUELA
-  JAMAICA
-  CURACAO
-  NICARAGUA
-  TOBAGO
-  BURKINA FASO
-  TRINIDAD & TOBAGO
-  ECUADOR

EUROPE & BALCON TERRITORY

-  ALBANIA
-  KOSOVO
-  MACEDONIA
-  GREECE
-  SPAIN

NORTH AFRICA TERRITORY

-  LIBYA
-  NIGERIA
-  SOUTH AFRICA
-  MOROCO
-  ISRAEL
-  TUNISIA
-  SURINAME

MIDDLE EAST TERRITORY

-  BAHRAIN
-  IRAQ
-  KUWAIT
-  OMAN
-  QATAR
-  SAUDI AREBIA
-  LEBANON
-  JORDAN
-  SYRIA





TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP BIa)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP BIa	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16±2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm ²	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Edan Ceramic City, Opp. Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

E-mail : export@reyceramic.com | **Mob.:** +91 90999 06545

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD.

8-A, N.H , Sartanpar Road, Opp. Kevin Ceramic,
At. Ratavirda, Tal. Wankaner, Dist. Morbi (Gujrat) India.

SIMBEL CERAMIC PVT. LTD.

8-A, National Highway, Dhuva-Matel Road,
At. Lakaddhar, Morbi - 363 642, Gujarat, India

ADORATION CERAMICA PVT.LTD.

8-A, N.H , Virpar-Bhimguda Road, Opp. Armano Vitrified,
Ta. Vankaner, Dist. Morbi (Gujrat) India.



WEB: www.reycera.com

Join us on: | [f](#) [@](#) [t](#) [in](#)